Listing of the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the

application:

1. (Currently amended) A system which enables real-time sharing of a web page being

viewed on a plurality of terminals, comprising:

a server provided with a means to directly transmit a detecting script which detects an

update to the web page and an updating script which updates the web page; and a means to

directly transmit update information which notifies an update to a web page, such information

being sent directly from a prescribed terminal, to another terminal which is displaying the same

web page as said prescribed terminal; and

terminals each provided with a receiving means to receive the detecting script and the

updating script which are sent directly from said server; a means to cause the received detecting

script to detect an update to the web page being displayed and, if any, generate update

information which notifies the result of the update and to directly transmit the resultant update

information to said server; and a means to cause the updating script to update the web page based

on said received update information.

2. (Original) The real-time web sharing system as set forth in claim 1, wherein

said server comprises

a means to transmit an update detecting script which detects an update to a part provided

on said web page, an incorporating script which incorporates this update detecting script into the

web page, and a part updating script which updates a part provided on the web page; and

a means to transmit the part update information which notifies the update to the part

provided on the web page, such information being sent from a prescribed terminal, to other

terminals which are displaying the same web page as said prescribed terminal; and

said terminals each comprises

a means to receive the detecting script and the updating script which are transmitted from

said server;

a means to cause the incorporating script to incorporate said update detecting script into

the web page, cause said update detecting script to detect an update to a part on said web page,

and to transmit to said server part update information which notifies the content of the update;

and

a means to cause said part updating script to update the part provided on the web page

based on said received part update information.

3. (Original) The real-time web sharing system as set forth in claim 2, wherein

an update to a part provided on said web page

is a scroll or resize of said web page or an update of a value in the entry form on said web

page.

4. (Original) The real-time web sharing system as set forth in claim 2, wherein

said server comprises

a storing means to store identification information, which identifies said terminals

individually, in association with the update information and part update information sent from

the individual terminals corresponding to the identification information;

a means to cause said storing means to store said update information and part update

information in association with the identification information of said terminals;

a means to, when a prescribed terminal logs in using said identification information,

retrieve from said storing means the update information and part update information associated

with the same identification information as said login identification information; and

a means to first transmit said retrieved update information and then transmit said

retrieved part update information to said prescribed terminal.

said server comprises

a storing means to store identification information, which identifies said terminals

individually, in association with the update information and part update information sent from

the individual terminals corresponding to the identification information;

a means to, when receiving a connection request which requests a connection from a

prescribed terminal to another terminal, transmit said connection request to such another

terminal;

a means to, when receiving from said another terminal a notification that said another

terminal is ready to respond to the connection request, retrieve from said storing means the

update information and part update information associated with the identification information of

said prescribed terminal; and

a means to first transmit said retrieved update information and then transmit said

retrieved part update information to said prescribed terminal.

6. (Previously presented) The real-time web sharing system as set forth in claim 1, wherein

said server comprises

a means to transmit a pointer script which incorporates tags for displaying a pointer to be

shared on the web page between the terminals and which obtains the movement location for the

pointer, and a moving script which moves the pointer; and

a means to transmit the location information which notifies the movement location for the

pointer on the web page, such information being sent from the prescribed terminal, to other

terminals which are displaying the same web page as said prescribed terminal; and

said terminals each comprises

a means to receive the pointer script and location information which are sent from said

server;

a means to cause said pointer script to incorporate the tags for sharing the pointer into the

web page, obtain the location of the pointer after movement, and transmit to said server the

location information which notifies the location thus obtained; and

a means to cause said moving script to move the pointer on the web page based on said

received location information.

7. (Currently amended) A terminal of a real-time web sharing system which enables real-

time sharing of a web page via a remote server, comprising:

a means to receive a detecting script which detects an update to the web page, an

updating script which updates the web page, and update information which notifies the update to

the web page, all of these scripts being sent <u>directly</u> from a server;

a means to cause said received detecting script to detect an update to the web page being

displayed and, if any, generate update information which notifies the result of the update and to

transmit the resultant update information directly to said server; and

a means to cause the updating script to update the web page based on the update

information which has been received via said receiving means.

8. (Original) The terminal of a real-time web sharing system as set forth in claim 7, wherein

said terminal comprises

a means to receive an update detecting script which detects an update to a part provided

on said web page, an incorporating script which incorporates this update detecting script into the

web page, and a part updating script which updates a part provided on the web page, all of these

scripts being sent from a server;

a means to cause the incorporating script to incorporate said update detecting script into

the web page, cause said update detecting script to detect an update to a part on said web page,

and to generate and transmit to said server part update information which notifies the content of

the update; and

a means to cause said part updating script to update the part provided on the web page

based on said received part update information.

9. (Original) The terminal of a real-time web sharing system as set forth in claim 8, wherein

an update to a part provided on said web page

is a scroll or resize of said web page or an update of a value in the entry form on said web

page.

10. (Previously presented) The terminal of a real-time web sharing system as set forth in

claim 8, wherein

said terminal comprises

a means to receive a pointer script, to be sent from said server, which incorporates tags

for displaying a pointer to be shared on the web page between the terminals and which obtains

the movement location for the pointer, a moving script which moves the pointer, and location

information which notifies the movement location for the pointer on the web page;

a means to cause said pointer script to incorporate the tags for sharing the pointer into the

web page, obtain the location information for the pointer after movement, and transmit to said

server the location information which notifies the location thus obtained; and

a means to cause said moving script to move the pointer on the web page based on said

received location information.

11. (Currently amended) A server of a system which enables sharing of a web page being

viewed between a plurality of terminals in real-time, comprising:

a means to directly transmit to a terminal a detecting script which detects an update to the

web page and an updating script which updates the web page;

a means to receive the update information which notifies an update to a web page and the

part update information which notifies an update to a part provided on the web page, both the

update information being sent from a prescribed terminal;

a storing means to store identification information which identifies said prescribed

terminal, in association with said received update information and part update information;

a means to cause said storing means to store said identification information which

identifies said prescribed terminal, in association with said update information and part update

information;

a means to, when another terminal logs in using the identification information of said

prescribed terminal, retrieve from said storing means the update information and part update

information associated with the same identification information as said login identification

information; and

a means to first directly transmit said retrieved update information and then directly

transmit said retrieved part update information to said <u>an</u>other terminal.

12. (Currently amended) The server of a real-time web sharing system as set forth in claim

11, wherein

said server comprises

a means to, when receiving a connection request which requests a connection from a

prescribed terminal to another terminal, transmit said connection request to such another

terminal;

a means to, when receiving from said another terminal a notification that said another

terminal is ready to respond to the connection request, retrieve from said storing means the

update information and part update information associated with the identification information of

said prescribed terminal; and

a means to first transmit said retrieved update information and then transmit said

retrieved part update information to said prescribed terminal.

13-15. (Canceled)

16. (Withdrawn) A method of sharing a web page in real-time between a plurality of

terminals by using existing browsers, comprising:

enabling sharing of a web page in real-time without requiring alteration of the web page

in advance or without requiring alteration of the display or the content rewriting module of a

browser, by linking a web page for sharing and a web page for control with each other by

displaying these web pages on the screen divided into frames or in browsers in parent-child

relationship; causing a script in the control frame to detect a change in the address of the shared

page; assigning, at this timing, from the control frame to the sharing frame a hook function

which hooks a sharing event and identification information which designates what will be

shared; if said sharing event occurs, generating and notifying from a server to the browsers on

other terminals notification information which notifies the event that has occurred; and invoking

a function which executes the function hooked to the targets having the same identification

information.

17. (Currently amended) A method of sharing in real-time a web page being displayed on a

first terminal and a second terminal via a remote server, comprising the steps of:

said server directly transmitting to the first terminal a detecting script which detects an

update to a web page and directly transmitting to said second terminal an updating script which

updates a web page;

said first terminal receiving the detecting script sent from said server and causing this

received detecting script to detect an update to a web page;

said second terminal receiving the updating script sent from said server;

said first terminal, if said detecting script detects an update to a web page, generating and

<u>directly</u> transmitting to said server update information which notifies the result of the update;

said server directly transmitting the update information sent from the first terminal to the

second terminal; and

said second terminal causing said received updating script to update the web page based

on the update information sent from said server.

18. (Original) The real-time web sharing method as set forth in claim 17, comprising the

steps of:

said server transmitting to the first terminal an update detecting script which detects an

update to a part provided on a web page and an incorporating script which incorporates this

update detecting script into the web page and transmitting to the second terminal an updating

script which updates a web page;

said first terminal receiving the detecting script and incorporating script sent from said

server;

said second terminal receiving the updating script sent from said server;

said first terminal causing said received incorporating script to incorporate said update

detecting script into said web page;

said first terminal, if the update detecting script detects an update to said part provided on

the web page, generating and transmitting to said server part update information which notifies

the content of this update;

said server transmitting the part update information sent from said first terminal to the

second terminal;

and said second terminal causing said received updating script to update the part provided

on the web page based on the part update information which has been sent from said server.

19. (Original) The real-time web sharing method as set forth in claim 18, comprising:

using an additional third terminal; and

having the steps of:

said server storing the identification information of said first terminal in association with

said received update information and part update information;

said third terminal logging into said server using the same identification information as

the identification information of said first terminal;

said server retrieving the update information and part update information associated with

the same identification information as the said login identification information;

said server first transmitting said retrieved update information and then transmitting said

retrieved part update information;

and said third terminal first updating the web page and then updating the part on the web

page, based on the update information and part update information, respectively, sent from said

server.

20. (Previously presented) The real-time web sharing method as set forth in claim 17,

comprising the steps of:

said first terminal detecting that a Connect button which calls said second terminal has

been pressed;

said first terminal, when said Connect button is pressed, notifying said server a

connection request which requests a connection with said second terminal;

said server, when receiving the notification of the connection request from said first

terminal, transmitting this notification to second terminal;

said second terminal, when receiving the notification of the connection request from said

server, enabling a Respond button which responds to this connection request and detecting the

pressing of said Respond button;

said second terminal, when detecting the pressing of said Respond button, notifying said

server that the terminal is ready to respond to the connection request;

said server, when receiving the notification from said second terminal that the terminal is

ready to respond to the connection request, retrieving the update information and part update

information associated with the identification information of said first terminal;

said server first transmitting said retrieved update information and then transmitting said

retrieved part update information; and

said second terminal first updating the web page and then updating the part on the web

page, based on the update information and part update information, respectively, sent from said

server.

21. (Previously presented) The real-time web sharing method as set forth in claim 17,

comprising the steps of:

said server transmitting a pointer script, which incorporates tags for displaying a pointer

to be shared on the web page between the terminals and which obtains the movement location for

the pointer, and a moving script which moves the pointer;

said first terminal receiving the pointer script sent from said server;

said second terminal receiving the moving script sent from said server;

said first terminal causing said received pointer script to incorporate the tags of the

pointer to be shared between the terminals into said web page;

said first terminal causing said pointer script to obtain the movement location for said

pointer and transmit the location information thus obtained to said server;

said server forwarding the location information sent from said first terminal to said

second terminal; and

said second terminal causing said moving script to move the pointer being displayed on

said web page, based on the location information sent from said server.